

Antibodies for Autoimmune and Inflammatory R&D

Form	Liquid
Clonality	Monoclonal
Applications	(Functional) assays, research & development
Note	For research use only. Not suitable for clinical or therapeutic use.

Art. No.	Product name	Host species	Species reactivity	Isotype	Storage buffer	Target	Purification
WM-AbAI001	Anti-Human CD152/CTLA4 Antibody (11.2.1)	Human	Human	IgG2, kappa	0.01M PBS, pH 7.4.	CD152, Cytotoxic T-lymphocyte protein 4, CTLA-4, CTLA4, Cytotoxic T-lymphocyte-associated antigen 4	Protein A/G purified from cell culture supernatant.
WM-AbAI002	Anti-Human CD152/CTLA4 Antibody (SAA0062)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4.	CD152, Cytotoxic T-lymphocyte protein 4, CTLA-4, CTLA4, Cytotoxic T-lymphocyte-associated antigen 4	Protein A/G purified from cell culture supernatant.
WM-AbAI003	Anti-Human CD20/MS4A1 Antibody (SAA0006)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4.	B-lymphocyte surface antigen B1, Membrane-spanning 4-domains subfamily A member 1, MS4A1, Leukocyte surface antigen Leu-16, B-lymphocyte antigen CD20, Bp35, CD20	Protein A/G purified from cell culture supernatant.
WM-AbAI004	Anti-Human CD20/MS4A1 Antibody (SAA0007)	Mouse	Human	IgG2b, kappa	0.01M PBS, pH 7.4.	B-lymphocyte surface antigen B1, Membrane-spanning 4-domains subfamily A member 1, MS4A1, Leukocyte surface antigen Leu-16, B-lymphocyte antigen CD20, Bp35, CD20	Protein A/G purified from cell culture supernatant.
WM-AbAI005	Anti-Human CD257/BAFF/TNFSF13B Antibody (BlySmAb-1.1)	Human	Human	IgG1, lambda	0.01M PBS, pH 7.4.	BAFF, ZTNF4, BLYS, Tumor necrosis factor ligand superfamily member 13B, Dendritic cell-derived TNF-like molecule, TALL-1, TNF- and APOL-related leukocyte expressed ligand 1, BLYS, B lymphocyte stimulator, TNFSF13B, CD257, TNFSF20, TALL1, B-cell-activating factor, Neutrokin-alpha	Protein A/G purified from cell culture supernatant.
WM-AbAI006	Anti-Human CD257/BAFF/TNFSF13B Antibody (SAA0081)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4.	BAFF, ZTNF4, BLYS, Tumor necrosis factor ligand superfamily member 13B, Dendritic cell-derived TNF-like molecule, TALL-1, TNF- and APOL-related leukocyte expressed ligand 1, BLYS, B lymphocyte stimulator, TNFSF13B, CD257, TNFSF20, TALL1, B-cell-activating factor, Neutrokin-alpha	Protein A/G purified from cell culture supernatant.
WM-AbAI007	Anti-Human CD284/TLR4 Antibody (SAA0095)	Mouse	Human	IgG1	0.01M PBS, pH 7.4.	Toll-like receptor 4, TLR4, CD284, hToll	Protein A/G purified from cell culture supernatant.
WM-AbAI008	Anti-Human CD3E Antibody (OKT3)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	T3E, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T-cell surface glycoprotein CD3 epsilon chain	Protein A/G purified from cell culture supernatant.
WM-AbAI009	Anti-Human CD3E Antibody (SPV-T3a)	Mouse	Human	IgG2b, kappa	0.01M PBS, pH 7.4.	T3E, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T-cell surface glycoprotein CD3 epsilon chain	Protein A/G purified from cell culture supernatant.
WM-AbAI010	Anti-Human CD3E Antibody (UCHT-1)	Rabbit	Human	IgG, kappa	0.01M PBS, pH 7.4.	T3E, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T-cell surface glycoprotein CD3 epsilon chain, UCHT1	Protein A/G purified from cell culture supernatant.
WM-AbAI011	Anti-Human CD3E Antibody (YTH12.5)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4.	T3E, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T-cell surface glycoprotein CD3 epsilon chain	Protein A/G purified from cell culture supernatant.
WM-AbAI012	Anti-Human IL6 Antibody (SAA0375)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	Hybridoma growth factor, BSF-2, IFN-beta-2, CDF, IL6, Interleukin-6, IL-6, B-cell stimulatory factor 2, Interferon beta-2, IFNB2, CTL differentiation factor	Protein A/G purified from cell culture supernatant.
WM-AbAI013	Anti-Human IL17A Antibody (SAA0386)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	CTLA-8, Cytotoxic T-lymphocyte-associated antigen 8, IL17, IL-17A, IL17A, CTLA8, IL-17, Interleukin-17A	Protein A/G purified from cell culture supernatant.

WM-AbAI014	Anti-Human IL17A Antibody (SAA0387)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	CTLA-8, Cytotoxic T-lymphocyte-associated antigen 8, IL17, IL-17A, IL17A, CTLA8, IL-17, Interleukin-17A	Protein A/G purified from cell culture supernatant.
WM-AbAI015	Anti-Human IFNG/IFN-gamma Antibody (SAA0414)	Mouse	Human	IgG1, lambda	0.01M PBS, pH 7.4, 0.09% Sodium azide.	Interferon gamma, IFN-gamma, Immune interferon, IFNG, IFN-γ	Protein A/G purified from cell culture supernatant.
WM-AbAI016	Anti-Human CD3 Antibody (SP34)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	T3E, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T-cell surface glycoprotein CD3 epsilon chain	Protein A/G purified from cell culture supernatant.
WM-AbAI017	Anti-Human CD3 Antibody (UCHT1)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	T3E, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T-cell surface glycoprotein CD3 epsilon chain	Protein A/G purified from cell culture supernatant.
WM-AbAI018	Anti-Human CD20/MS4A1 Antibody (SAA1414)	Rabbit	Human	IgG	0.01M PBS, pH 7.4, 0.09% Sodium azide.	B-lymphocyte surface antigen B1, Membrane-spanning 4-domains subfamily A member 1, MS4A1, Leukocyte surface antigen Leu-16, B-lymphocyte antigen CD20, Bp35, CD20	Protein A/G purified from cell culture supernatant.
WM-AbAI019	Anti-Human CD3 Antibody (TR66)	Mouse	Human	IgG2a	0.01M PBS, pH 7.4, 0.09% Sodium azide.	T3E, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T-cell surface glycoprotein CD3 epsilon chain	Protein A/G purified from cell culture supernatant.
WM-AbAI020	Anti-Human CD152/CTLA4 Antibody (SAA0062)	Rabbit	Human	IgG	0.01M PBS, pH 7.4, 0.09% Sodium azide.	CD152, Cytotoxic T-lymphocyte protein 4, CTLA-4, CTLA4, Cytotoxic T-lymphocyte-associated antigen 4	Protein A/G purified from cell culture supernatant.
WM-AbAI021	Anti-Human CD3E Antibody (TRX4)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	T3E, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T-cell surface glycoprotein CD3 epsilon chain	Protein A/G purified from cell culture supernatant.
WM-AbAI022	Anti-Human TPO/Thyroid peroxidase Antibody (RI-34)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	Thyroid peroxidase, TPO	Protein A/G purified from cell culture supernatant.
WM-AbAI023	Anti-Human TPO/Thyroid peroxidase Antibody (RI-33)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	Thyroid peroxidase, TPO	Protein A/G purified from cell culture supernatant.
WM-AbAI024	Anti-Human TPO/Thyroid peroxidase Antibody (RI-8)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	Thyroid peroxidase, TPO	Protein A/G purified from cell culture supernatant.
WM-AbAI025	Anti-Human CD152/CTLA4 Antibody (HL32)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	Cytotoxic T-lymphocyte protein 4, Cytotoxic T-lymphocyte-associated antigen 4, CTLA-4, CD152, CTLA4, CD152	Protein A/G purified from cell culture supernatant.
WM-AbAI026	Anti-Human CD20/MS4A1 Antibody (2H7)	Mouse	Human	IgG2b, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	B-lymphocyte antigen CD20, B-lymphocyte surface antigen B1, Bp35, Leukocyte surface antigen Leu-16, Membrane-spanning 4-domains subfamily A member 1, CD20, MS4A1, CD20	Protein A/G purified from cell culture supernatant.
WM-AbAI027	Anti-Human CD3 Antibody (HIT3a)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	T-cell surface glycoprotein CD3 epsilon chain, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T3E	Protein A/G purified from cell culture supernatant.
WM-AbAI028	Anti-Human CD20/MS4A1 Antibody (SAA2208)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	B-lymphocyte surface antigen B1, Membrane-spanning 4-domains subfamily A member 1, MS4A1, Leukocyte surface antigen Leu-16, B-lymphocyte antigen CD20, Bp35, CD20	Protein A/G purified from cell culture supernatant.
WM-AbAI029	Anti-Human CD20/MS4A1 Antibody (SAA2209)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	B-lymphocyte surface antigen B1, Membrane-spanning 4-domains subfamily A member 1, MS4A1, Leukocyte surface antigen Leu-16, B-lymphocyte antigen CD20, Bp35, CD20	Protein A/G purified from cell culture supernatant.
WM-AbAI030	Anti-Human CD20/MS4A1 Antibody (SAA2210)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	B-lymphocyte surface antigen B1, Membrane-spanning 4-domains subfamily A member 1, MS4A1, Leukocyte surface antigen Leu-16, B-lymphocyte antigen CD20, Bp35, CD20	Protein A/G purified from cell culture supernatant.
WM-AbAI031	Anti-Human IFNG/IFN-gamma Antibody (SAA0266)	Human	Human	IgG1, lambda	0.01M PBS, pH 7.4.	Interferon gamma, IFN-gamma, Immune interferon, IFNG, IFN-γ	Protein A/G purified from cell culture supernatant.
WM-AbAI032	InVivoMAb Anti-Human IL6 (lv0022)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	Hybridoma growth factor, BSF-2, IFN-beta-2, CDF, IL6, Interleukin-6, IL-6, B-cell stimulatory factor 2, Interferon beta-2, IFNB2, CTL differentiation factor	Protein A/G purified from cell culture supernatant.

WM-AbAI033	InVivoMAb Anti-Human IL17A (lv0029)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	CTLA-8, Cytotoxic T-lymphocyte-associated antigen 8, IL17, IL-17A, IL17A, CTLA8, IL-17, Interleukin-17A	Protein A/G purified from cell culture supernatant.
WM-AbAI034	InVivoMAb Anti-Human IFNG/IFN-gamma (lv0049)	Human	Human	IgG1	0.01M PBS, pH 7.4.	Interferon gamma, IFN-gamma, Immune interferon, IFNG, IFN-γ	Protein A/G purified from cell culture supernatant.
WM-AbAI035	Anti-Human TG/Thyroglobulin Antibody (SAA0534)	Human	Human	VHH-hFc	0.01M PBS, pH 7.4.	Thyroglobulin, Tg, TG	Protein A/G purified from cell culture supernatant.
WM-AbAI036	Anti-Human TG/Thyroglobulin Antibody (SAA0535)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	Thyroglobulin, Tg, TG	Protein A/G purified from cell culture supernatant.
WM-AbAI037	Anti-Human IL6 Nanobody (SAA0798)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	Hybridoma growth factor, BSF-2, IFN-beta-2, CDF, IL6, Interleukin-6, IL-6, B-cell stimulatory factor 2, Interferon beta-2, IFNB2, CTL differentiation factor	Purified by Nickel column.
WM-AbAI038	Anti-Human CD284/TLR4 Nanobody (SAA1263)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	Toll-like receptor 4, TLR4, CD284, hToll	Purified by Nickel column.
WM-AbAI039	Anti-Human TG/Thyroglobulin Nanobody (SAA1339)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	Thyroglobulin, Tg, TG	Purified by Nickel column.
WM-AbAI040	Anti-Human IFNG/IFN-gamma Nanobody (SAA1294)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	Interferon gamma, IFN-gamma, Immune interferon, IFNG, IFN-γ	Purified by Nickel column.
WM-AbAI041	Anti-Human IL6 Nanobody (SAA1289)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	Hybridoma growth factor, BSF-2, IFN-beta-2, CDF, IL6, Interleukin-6, IL-6, B-cell stimulatory factor 2, Interferon beta-2, IFNB2, CTL differentiation factor	Purified by Nickel column.
WM-AbAI042	Anti-Human CD3E Nanobody (SAA1330)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	T3E, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T-cell surface glycoprotein CD3 epsilon chain	Purified by Nickel column.
WM-AbAI043	Anti-Human CD20/MS4A1 Nanobody (SAA1332)	Alpaca	Human	VHH-8His-Cys-tag	30 mM Histidine, pH5.8, 10% sucrose, 0.02% Tween80	B-lymphocyte surface antigen B1, Membrane-spanning 4-domains subfamily A member 1, MS4A1, Leukocyte surface antigen Leu-16, B-lymphocyte antigen CD20, Bp35, CD20	Purified by Nickel column.
WM-AbAI044	Anti-Human CD152/CTLA4 Nanobody (SAA1104)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	CD152, Cytotoxic T-lymphocyte protein 4, CTLA-4, CTLA4, Cytotoxic T-lymphocyte-associated antigen 4	Purified by Nickel column.
WM-AbAI045	Anti-Human CD152/CTLA4 Nanobody (SAA0918)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	CD152, Cytotoxic T-lymphocyte protein 4, CTLA-4, CTLA4, Cytotoxic T-lymphocyte-associated antigen 4	Purified by Nickel column.
WM-AbAI046	Anti-Human CD152/CTLA4 Nanobody (SAA1054)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	CD152, Cytotoxic T-lymphocyte protein 4, CTLA-4, CTLA4, Cytotoxic T-lymphocyte-associated antigen 4	Purified by Nickel column.
WM-AbAI047	Anti-Human NLRP3 Antibody (18#)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	NLRP3, NACHT, LRR and PYD domains-containing protein 3, Caterpillar protein 1.1, C1orf7, PYPAF1, PYRIN-containing APAF1-like protein 1, CIAS1, CLR1.1, Cold-induced autoinflammatory syndrome 1 protein, Cryopyrin, Angiotensin/vasopressin receptor AII/AVP-like, NALP3	Protein A/G purified from cell culture supernatant.
WM-AbAI048	Anti-Human FOXP3 Antibody (SAA1798)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4.	Forkhead box protein P3, IPEX, Scurfin, FOXP3	Protein A/G purified from cell culture supernatant.
WM-AbAI049	Anti-Human IL6 Antibody (SAA2008)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	Hybridoma growth factor, BSF-2, IFN-beta-2, CDF, IL6, Interleukin-6, IL-6, B-cell stimulatory factor 2, Interferon beta-2, IFNB2, CTL differentiation factor	Protein A/G purified from cell culture supernatant.
WM-AbAI050	Anti-Human IL6 Antibody (SAA2009)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4.	Hybridoma growth factor, BSF-2, IFN-beta-2, CDF, IL6, Interleukin-6, IL-6, B-cell stimulatory factor 2, Interferon beta-2, IFNB2, CTL differentiation factor	Protein A/G purified from cell culture supernatant.

WM-AbAI051	Anti-Human CD3E Antibody (L2K)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	T3E, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T-cell surface glycoprotein CD3 epsilon chain	Protein A/G purified from cell culture supernatant.
WM-AbAI052	InVivoMAb Anti-Human CD3E Antibody (38E4#)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	T3E, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T-cell surface glycoprotein CD3 epsilon chain	Protein A/G purified from cell culture supernatant.
WM-AbAI053	Anti-Human TPO Antibody (T13)	Mouse	Human	IgG2a	0.01M PBS, pH 7.4.	Thyroid peroxidase, TPO	Protein A/G purified from cell culture supernatant.
WM-AbAI054	Anti-Human TPO Antibody (WR4.10)	Mouse	Human	IgG2a	0.01M PBS, pH 7.4.	Thyroid peroxidase, TPO	Protein A/G purified from cell culture supernatant.
WM-AbAI055	Anti-Human CD3E Nanobody (SAA2242)	Human	Human	VHH-hFc	0.01M PBS, pH 7.4.	T3E, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T-cell surface glycoprotein CD3 epsilon chain	Purified by Nickel column.
WM-AbAI056	Anti-Human CD3E Nanobody (SAA2242)	Alpaca	Human	VHH-His	0.01M PBS, pH 7.4.	T3E, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T-cell surface glycoprotein CD3 epsilon chain	Purified by Nickel column.
WM-AbAI057	Anti-Siltuximab Neutralizing Antibody (1A455)	Mouse		IgG1	0.01M PBS, pH 7.4, 50% Glycerol, 0.05% Proclin 300.		Protein A/G purified from cell culture supernatant.
WM-AbAI058	Anti-Siltuximab Neutralizing Antibody (1A456)	Mouse		IgG1	0.01M PBS, pH 7.4, 50% Glycerol, 0.05% Proclin 300.		Protein A/G purified from cell culture supernatant.
WM-AbAI059	Anti- Siltuximab Non-Neutralizing Antibody (1A457)	Mouse		IgG2a	0.01M PBS, pH 7.4, 50% Glycerol, 0.05% Proclin 300.		Protein A/G purified from cell culture supernatant.
WM-AbAI060	Anti- Siltuximab Non-Neutralizing Antibody (1A458)	Mouse		IgG2a	0.01M PBS, pH 7.4, 50% Glycerol, 0.05% Proclin 300.		Protein A/G purified from cell culture supernatant.
WM-AbAI061	InVivoMAb Anti-Mouse IL6 (MP5-20F3)	Rat	Mouse	IgG1, kappa	0.01M PBS pH 7.4	Interleukin-6, IL-6, B-cell stimulatory factor 2, BSF-2, CTL differentiation factor, CDF, Hybridoma growth factor, Interferon beta-2, IFN-beta-2, IL6, IFNB2	Protein A/G purified from cell culture supernatant.
WM-AbAI062	InVivoMAb Anti-Mouse CD3E Antibody (145-2C11)	Hamster	Mouse	IgG	0.01M PBS pH 7.4	T-cell surface glycoprotein CD3 epsilon chain, T-cell surface antigen T3/Leu-4 epsilon chain, CD3e, CD3E, T3E	Protein A/G purified from cell culture supernatant.
WM-AbAI063	Anti-Human CD3E antibody (SAA2371)	Human	Human	IgG4, lambda	0.01M PBS pH 7.4	CD3E	Protein A/G purified from cell culture supernatant.
WM-AbAI064	Anti-CD257/BAFF/TNFSF13B/BLYS Antibody (SAA2395)	Mouse	Human	IgG2a, kappa	0.01M PBS pH 7.4	Tumor necrosis factor ligand superfamily member 13B, B lymphocyte stimulator, BlyS, B-cell-activating factor, BAFF, Dendritic cell-derived TNF-like molecule, TNF- and APOL-related leukocyte expressed ligand 1, TALL-1, CD257, Tumor necrosis factor ligand superfamily member 13b membrane form, Tumor necrosis factor ligand superfamily member 13b soluble form, TNFSF13B, BAFF, BLYS, TALL1, TNFSF20, ZTNF4	Protein A/G purified from cell culture supernatant.
WM-AbAI065	Anti-Human CD20/MS4A1 Antibody (SAA2510)		Human	scFV-His	0.01M PBS pH 7.4	B-lymphocyte antigen CD20, B-lymphocyte surface antigen B1, Bp35, CD20, Leukocyte surface antigen Leu-16, MS4A1, Membrane-spanning 4-domains subfamily A member 1	Protein A/G purified from cell culture supernatant.
WM-AbAI066	Anti-Human CD20/MS4A1 Antibody (SAA2511)	Human	Human	Fab - G1 - kappa	0.01M PBS pH 7.4	B-lymphocyte antigen CD20, B-lymphocyte surface antigen B1, Bp35, CD20, Leukocyte surface antigen Leu-16, MS4A1, Membrane-spanning 4-domains subfamily A member 1	Protein A/G purified from cell culture supernatant.

WM-AbAI067	Anti-Human CD257/BAFF/TNFSF13B Antibody (SAA2529)		Human	scFv-His	0.01M PBS pH 7.4	B lymphocyte stimulator, B-cell-activating factor, BAFF, BLYS, BLyS, CD257, Dendritic cell-derived TNF-like molecule, TALL-1, TALL1, TNF- and APOL-related leukocyte expressed ligand 1, TNFSF13B, TNFSF20, Tumor necrosis factor ligand superfamily member 13B, Tumor necrosis factor ligand superfamily member 13b, membrane form, Tumor necrosis factor ligand superfamily member 13b, soluble form, ZTNF4	Protein A/G purified from cell culture supernatant.
WM-AbAI068	Anti-Human CD20/MS4A1 Antibody (SAA2535)		Human	scFv-His	0.01M PBS pH 7.4	B-lymphocyte antigen CD20, B-lymphocyte surface antigen B1, Bp35, CD20, Leukocyte surface antigen Leu-16, MS4A1, Membrane-spanning 4-domains subfamily A member 1	Purified by Nickel column.
WM-AbAI069	Anti-Human CD20/MS4A1 Antibody (SAA2544)		Human	scFv-His	0.01M PBS pH 7.4	B-lymphocyte antigen CD20, B-lymphocyte surface antigen B1, Bp35, CD20, Leukocyte surface antigen Leu-16, MS4A1, Membrane-spanning 4-domains subfamily A member 1	Purified by Nickel column.
WM-AbAI070	Anti-Human CD152/CTLA4 Antibody (SAA2550)		Human	scFv-His	0.01M PBS pH 7.4	CD152, CTLA-4, CTLA4, Cytotoxic T-lymphocyte protein 4, Cytotoxic T-lymphocyte-associated antigen 4	Purified by Nickel column.
WM-AbAI071	Anti-Human TSHR/LGR3 Antibody (M22)	Human	Human	IgG1	0.01M PBS, pH 7.4.	Thyroid-stimulating hormone receptor, TSH-R, TSHR, Thyrotropin receptor, LGR3	Protein A/G purified from cell culture supernatant.
WM-AbAI072	Anti-Human TSHR/LGR3 Antibody (K1-70)	Mouse	Human	IgG2a, lambda	0.01M PBS, pH 7.4.	Thyroid-stimulating hormone receptor, TSH-R, TSHR, Thyrotropin receptor, LGR3, RHD18102	Protein A/G purified from cell culture supernatant.
WM-AbAI073	Anti-Human TSHR/LGR3 Antibody (3BD10)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	Thyroid-stimulating hormone receptor, TSH-R, TSHR, Thyrotropin receptor, LGR3	Protein A/G purified from cell culture supernatant.
WM-AbAI074	Research Grade Anti-TNF α /TNF-alpha (CDP571)	Humanized	Human	IgG4-kappa	0.01M PBS, pH 7.4.	TNF, Tumor necrosis factor ligand superfamily member 2, N-terminal fragment, ICD2, NTF, TNF-a, TNF-alpha, Tumor necrosis factor, TNFSF2, TNFA, Cachectin, ICD1	Protein A/G purified from cell culture supernatant.
WM-AbAI075	Anti-Human FCGRT/FCRN Antibody (SAA0136)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4.	IgG Fc fragment receptor transporter alpha chain, IgG receptor FcRn large subunit p51, FcRn, FCGRT, FCRN, Neonatal Fc receptor	Protein A/G purified from cell culture supernatant.
WM-AbAI076	Anti-Human FCGRT/FCRN Antibody (SAA0135)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4.	IgG Fc fragment receptor transporter alpha chain, IgG receptor FcRn large subunit p51, FcRn, FCGRT, FCRN, Neonatal Fc receptor	Protein A/G purified from cell culture supernatant.
WM-AbAI077	Anti-Human CD154/CD40LG/TNFSF5 Antibody (5C8)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4.	sCD40L, Tumor necrosis factor ligand superfamily member 5, T-cell antigen Gp39, CD40L, TNFSF5, CD154, CD40-L, TNF-related activation protein, CD40 ligand, CD40LG, TRAP	Protein A/G purified from cell culture supernatant.
WM-AbAI078	Anti-Human CD154/CD40LG/TNFSF5 Antibody (SAA0549)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	sCD40L, Tumor necrosis factor ligand superfamily member 5, T-cell antigen Gp39, CD40L, TNFSF5, CD154, CD40-L, TNF-related activation protein, CD40 ligand, CD40LG, TRAP	Protein A/G purified from cell culture supernatant.
WM-AbAI079	Anti-Human CD19 Antibody (4G7)	Human	Human	IgG1	0.01M PBS, pH 7.4.	CD19, Differentiation antigen CD19, T-cell surface antigen Leu-12, B-lymphocyte antigen CD19, B-lymphocyte surface antigen B4	Protein A/G purified from cell culture supernatant.
WM-AbAI080	Anti-Human CD19 Antibody (SAA0005)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	CD19, Differentiation antigen CD19, T-cell surface antigen Leu-12, B-lymphocyte antigen CD19, B-lymphocyte surface antigen B4	Protein A/G purified from cell culture supernatant.
WM-AbAI081	Anti-Human CD19 Antibody (SJ25C1)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4.	CD19, Differentiation antigen CD19, T-cell surface antigen Leu-12, B-lymphocyte antigen CD19, B-lymphocyte surface antigen B4	Protein A/G purified from cell culture supernatant.
WM-AbAI082	Anti-Human CD221/IGF1R Antibody (2.13.2#)	Human	Human	IgG2, kappa	0.01M PBS, pH 7.4.	CD221, Insulin-like growth factor 1 receptor, IGF1R, Insulin-like growth factor I receptor, IGF-I receptor	Protein A/G purified from cell culture supernatant.
WM-AbAI083	Anti-Human CD221/IGF1R Antibody (SAA0072)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	CD221, Insulin-like growth factor 1 receptor, IGF1R, Insulin-like growth factor I receptor, IGF-I receptor	Protein A/G purified from cell culture supernatant.

WM-AbAI084	Anti-Human CD272/BTLA Antibody (SAA0087)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4.	B- and T-lymphocyte attenuator, BTLA, CD272, B- and T-lymphocyte-associated protein	Protein A/G purified from cell culture supernatant.
WM-AbAI085	Anti-Human CD19 Antibody (FMC63)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	CD19, Differentiation antigen CD19, T-cell surface antigen Leu-12, B-lymphocyte antigen CD19, B-lymphocyte surface antigen B4	Protein A/G purified from cell culture supernatant.
WM-AbAI086	Anti-Human CD19 Antibody (HD37)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	CD19, Differentiation antigen CD19, T-cell surface antigen Leu-12, B-lymphocyte antigen CD19, B-lymphocyte surface antigen B4	Protein A/G purified from cell culture supernatant.
WM-AbAI087	Anti-Human TNFa/TNF-alpha Antibody (SAA0415)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	TNF, Tumor necrosis factor ligand superfamily member 2, N-terminal fragment, ICD2, NTF, TNF-a, TNF-alpha, Tumor necrosis factor, TNFSF2, TNFA, Cachectin, ICD1	Protein A/G purified from cell culture supernatant.
WM-AbAI088	Anti-Human TSHR/LGR3 Antibody (1H7)	Mouse	Human	IgG1	0.01M PBS, pH 7.4, 0.09% Sodium azide.	Thyroid-stimulating hormone receptor, TSH-R, TSHR, Thyrotropin receptor, LGR3	Protein A/G purified from cell culture supernatant.
WM-AbAI089	Anti-Human CD19 Antibody (B43)	Mouse	Human	IgG2a	0.01M PBS, pH 7.4.	CD19, Differentiation antigen CD19, T-cell surface antigen Leu-12, B-lymphocyte antigen CD19, B-lymphocyte surface antigen B4	Protein A/G purified from cell culture supernatant.
WM-AbAI090	Anti-Human TSHR/LGR3 Antibody (M22) (alternative name: Thyroid-stimulating hormone receptor, TSH-R, TSHR, Thyrotropin receptor, LGR3)	Mouse	Human	IgG2a	0.01M PBS, pH 7.4.		Protein A/G purified from cell culture supernatant.
WM-AbAI091	Anti-Human CD19 Antibody (SAA2206)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	CD19, Differentiation antigen CD19, T-cell surface antigen Leu-12, B-lymphocyte antigen CD19, B-lymphocyte surface antigen B4	Protein A/G purified from cell culture supernatant.
WM-AbAI092	Anti-Human TSHR Antibody (SAA0401)	Mouse	Human	IgG2a, lambda	0.01M PBS, pH 7.4.	Thyroid-stimulating hormone receptor, TSH-R, TSHR, Thyrotropin receptor, LGR3	Protein A/G purified from cell culture supernatant.
WM-AbAI093	InVivoMAb Anti-Human TNFa/TNF-alpha (Iv0050)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	TNF, Tumor necrosis factor ligand superfamily member 2, N-terminal fragment, ICD2, NTF, TNF-a, TNF-alpha, Tumor necrosis factor, TNFSF2, TNFA, Cachectin, ICD1	Protein A/G purified from cell culture supernatant.
WM-AbAI094	Anti-Human TNFa/TNF-alpha Nanobody (SAA1146)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	TNF, Tumor necrosis factor ligand superfamily member 2, N-terminal fragment, ICD2, NTF, TNF-a, TNF-alpha, Tumor necrosis factor, TNFSF2, TNFA, Cachectin, ICD1	Purified by Nickel column.
WM-AbAI095	Anti-Human TNFa/TNF-alpha Nanobody (SAA1163)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	TNF, Tumor necrosis factor ligand superfamily member 2, N-terminal fragment, ICD2, NTF, TNF-a, TNF-alpha, Tumor necrosis factor, TNFSF2, TNFA, Cachectin, ICD1	Purified by Nickel column.
WM-AbAI096	Anti-Human TNFa/TNF-alpha Nanobody (SAA1201)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	TNF, Tumor necrosis factor ligand superfamily member 2, N-terminal fragment, ICD2, NTF, TNF-a, TNF-alpha, Tumor necrosis factor, TNFSF2, TNFA, Cachectin, ICD1	Purified by Nickel column.
WM-AbAI097	Anti-Human CD221/IGF1R Nanobody (SAA1314)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	CD221, Insulin-like growth factor 1 receptor, IGF1R, Insulin-like growth factor I receptor, IGF-I receptor	Purified by Nickel column.
WM-AbAI098	Anti-Human CD19 Nanobody (SAA1246)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	CD19, Differentiation antigen CD19, T-cell surface antigen Leu-12, B-lymphocyte antigen CD19, B-lymphocyte surface antigen B4	Purified by Nickel column.
WM-AbAI099	Anti-Human CD154/CD40LG/TNFSF5 Nanobody (SAA1196)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	sCD40L, Tumor necrosis factor ligand superfamily member 5, T-cell antigen Gp39, CD40L, TNFSF5, CD154, CD40-L, TNF-related activation protein, CD40 ligand, CD40LG, TRAP	Purified by Nickel column.
WM-AbAI100	InVivoMAb Anti-Human TSHR/LGR3 Antibody (K1-18)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	Thyroid-stimulating hormone receptor, TSH-R, TSHR, Thyrotropin receptor, LGR3	Protein A/G purified from cell culture supernatant.
WM-AbAI101	InVivoMAb Anti-Human TSHR/LGR3 Antibody (5C9)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	Thyroid-stimulating hormone receptor, TSH-R, TSHR, Thyrotropin receptor, LGR3	Protein A/G purified from cell culture supernatant.

WM-AbAI102	Anti-Human CD19 scFv Antibody (FMC63)		Human	scFv-His	0.01M PBS, pH 7.4.	CD19, Differentiation antigen CD19, T-cell surface antigen Leu-12, B-lymphocyte antigen CD19, B-lymphocyte surface antigen B4	Purified by Nickel column.
WM-AbAI103	Anti-FMC63 scFv Monoclonal Antibody (SAA1996)	Rabbit		IgG	0.01M PBS, pH 7.4.	Anti-human CD19 antibody clone FMC63, Idiotypic antibody	Protein A/G purified from cell culture supernatant.
WM-AbAI104	Anti-4G7 scFv Monoclonal Antibody (SAA1997)	Mouse		IgG2a	0.01M PBS, pH 7.4.	Anti-human CD19 antibody clone 4G7, Idiotypic antibody	Protein A/G purified from cell culture supernatant.
WM-AbAI105	Anti-Human TNFa/TNF-alpha Antibody (SAA2005)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	TNF, Tumor necrosis factor ligand superfamily member 2, N-terminal fragment, ICD2, NTF, TNF-a, TNF-alpha, Tumor necrosis factor, TNFSF2, TNFA, Cachectin, ICD1	Protein A/G purified from cell culture supernatant.
WM-AbAI106	InVivoMAb Anti-Human FCGRT/FCRN Antibody (Iv0203)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	IgG Fc fragment receptor transporter alpha chain, IgG receptor FcRn large subunit p51, FcRn, FCGRT, FCRN, Neonatal Fc receptor	Protein A/G purified from cell culture supernatant.
WM-AbAI107	Anti-Human TSHR/LGR3 Antibody (CS-17)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	Thyroid-stimulating hormone receptor, TSH-R, TSHR, Thyrotropin receptor, LGR3	Protein A/G purified from cell culture supernatant.
WM-AbAI108	Anti-Human CD19 Nanobody (SAA2078)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	B-lymphocyte antigen CD19, B-lymphocyte surface antigen B4, Differentiation antigen CD19, T-cell surface antigen Leu-12, CD19, CD19	Purified by Nickel column.
WM-AbAI109	Anti-Human CD274/PD-L1/B7-H1 Antibody (405.9A11)	Mouse	Human	IgG1	0.01M PBS, pH 7.4.	B-lymphocyte antigen CD19, B-lymphocyte surface antigen B4, Differentiation antigen CD19, T-cell surface antigen Leu-12, CD19, CD19	Protein A/G purified from cell culture supernatant.
WM-AbAI110	Anti-FMC63 scFv Monoclonal Antibody (SAA2162)	Rabbit		IgG	0.01M PBS, pH 7.4.	B-lymphocyte antigen CD19, B-lymphocyte surface antigen B4, Differentiation antigen CD19, T-cell surface antigen Leu-12, CD19, CD19, Anti-FMC63	Protein A/G purified from cell culture supernatant.
WM-AbAI111	Anti-Human TNFa/TNF-alpha Antibody (SAA2235)	Rabbit	Human	IgG	0.01M PBS, pH 7.4.	TNF, Tumor necrosis factor ligand superfamily member 2, N-terminal fragment, ICD2, NTF, TNF-a, TNF-alpha, Tumor necrosis factor, TNFSF2, TNFA, Cachectin, ICD1	Protein A/G purified from cell culture supernatant.
WM-AbAI112	Anti-Human TNFa/TNF-alpha Antibody (SAA2236)	Rabbit	Human	IgG	0.01M PBS, pH 7.4.	TNF, Tumor necrosis factor ligand superfamily member 2, N-terminal fragment, ICD2, NTF, TNF-a, TNF-alpha, Tumor necrosis factor, TNFSF2, TNFA, Cachectin, ICD1	Protein A/G purified from cell culture supernatant.
WM-AbAI113	Anti-CD19 & CD28 Bispecific Antibody (RG-6333)	Human	Human	IgG1, kappa	0.01M PBS pH 7.4	B-lymphocyte antigen CD19, B-lymphocyte surface antigen B4, Differentiation antigen CD19, T-cell surface antigen Leu-12, CD19, CD19, T-cell-specific surface glycoprotein CD28, TP44, CD28, CD28	Protein A/G purified from cell culture supernatant.
WM-AbAI114	Anti-Human CD19 Antibody (HB12B)	Human	Human	IgG1, kappa	0.01M PBS pH 7.4	B-lymphocyte antigen CD19, B-lymphocyte surface antigen B4, Differentiation antigen CD19, T-cell surface antigen Leu-12, CD19, CD19	Protein A/G purified from cell culture supernatant.
WM-AbAI115	Anti-Human TNFa/TNF-alpha Antibody (SAA2506)		Human	scFV-His	0.01M PBS pH 7.4	C-domain 1, C-domain 2, Cachectin, ICD1, ICD2, Intracellular domain 1, Intracellular domain 2, N-terminal fragment, NTF, TNF, TNF-a, TNF-alpha, TNFA, TNFSF2, Tumor necrosis factor, Tumor necrosis factor ligand superfamily member 2, Tumor necrosis factor, membrane form, Tumor necrosis factor, soluble form	Protein A/G purified from cell culture supernatant.
WM-AbAI116	Anti-Human TNFa/TNF-alpha Antibody (SAA2507)	Human	Human	Fab - G1 - kappa	0.01M PBS pH 7.4	C-domain 1, C-domain 2, Cachectin, ICD1, ICD2, Intracellular domain 1, Intracellular domain 2, N-terminal fragment, NTF, TNF, TNF-a, TNF-alpha, TNFA, TNFSF2, Tumor necrosis factor, Tumor necrosis factor ligand superfamily member 2, Tumor necrosis factor, membrane form, Tumor necrosis factor, soluble form	Protein A/G purified from cell culture supernatant.

WM-AbAI117	Anti-Human TNFa/TNF-alpha Antibody (SAA2508)	Human	Human	scFV-His	0.01M PBS pH 7.4	C-domain 1, C-domain 2, Cachectin, ICD1, ICD2, Intracellular domain 1, Intracellular domain 2, N-terminal fragment, NTF, TNF, TNF-a, TNF-alpha, TNFA, TNFSF2, Tumor necrosis factor, Tumor necrosis factor ligand superfamily member 2, Tumor necrosis factor, membrane form, Tumor necrosis factor, soluble form	Protein A/G purified from cell culture supernatant.
WM-AbAI118	Anti-Human TNFa/TNF-alpha Antibody (SAA2509)	Human	Human	Fab - G1 - kappa	0.01M PBS pH 7.4	C-domain 1, C-domain 2, Cachectin, ICD1, ICD2, Intracellular domain 1, Intracellular domain 2, N-terminal fragment, NTF, TNF, TNF-a, TNF-alpha, TNFA, TNFSF2, Tumor necrosis factor, Tumor necrosis factor ligand superfamily member 2, Tumor necrosis factor, membrane form, Tumor necrosis factor, soluble form	Protein A/G purified from cell culture supernatant.
WM-AbAI119	Anti-Human TIGIT Antibody (SAA0154)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	VSTM3, TIGIT, V-set and transmembrane domain-containing protein 3, VSIG9, V-set and immunoglobulin domain-containing protein 9, T-cell immunoreceptor with Ig and ITIM domains	Protein A/G purified from cell culture supernatant.
WM-AbAI120	Anti-Human TIGIT Antibody (SAA0153)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	VSTM3, TIGIT, V-set and transmembrane domain-containing protein 3, VSIG9, V-set and immunoglobulin domain-containing protein 9, T-cell immunoreceptor with Ig and ITIM domains	Protein A/G purified from cell culture supernatant.
WM-AbAI121	Anti-Human MET/c-Met/HGFR Antibody (SAA0111)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4.	Tyrosine-protein kinase Met, Hepatocyte growth factor receptor, Proto-oncogene c-Met, Scatter factor receptor, HGF receptor, SF receptor, HGF/SF receptor, MET	Protein A/G purified from cell culture supernatant.
WM-AbAI122	Anti-Human MET/c-Met/HGFR Antibody (224G11)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	Tyrosine-protein kinase Met, Hepatocyte growth factor receptor, Proto-oncogene c-Met, Scatter factor receptor, HGF receptor, SF receptor, HGF/SF receptor, MET	Protein A/G purified from cell culture supernatant.
WM-AbAI123	Anti-Human IFNAR1 Antibody (SAA0119)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	Interferon alpha/beta receptor 1, Cytokine receptor family 2 member 1, Cytokine receptor class-II member 1, CRF2-1, IFN-R-1, IFNAR1, IFNAR, IFN-alpha/beta receptor 1, Type I interferon receptor 1	Protein A/G purified from cell culture supernatant.
WM-AbAI124	Anti-Human HLA-DRB1 Antibody (MS-S1TA3)	Mouse	Human	IgG1	0.01M PBS, pH 7.4.	HLA class II histocompatibility antigen, DRB1 beta chain, Human leukocyte antigen DRB1, HLA-DRB1	Protein A/G purified from cell culture supernatant.
WM-AbAI125	Anti-Human HLA-DRB1 Antibody (MP12)	Mouse	Human	IgG1	0.01M PBS, pH 7.4.	HLA class II histocompatibility antigen, DRB1 beta chain, Human leukocyte antigen DRB1, HLA-DRB1	Protein A/G purified from cell culture supernatant.
WM-AbAI126	Anti-Human HLA-DRB1 Antibody (1D10)	Mouse	Human	IgG1	0.01M PBS, pH 7.4.	HLA class II histocompatibility antigen, DRB1 beta chain, Human leukocyte antigen DRB1, HLA-DRB1	Protein A/G purified from cell culture supernatant.
WM-AbAI127	Anti-Human CD121a/IL1R1 Antibody (27F2)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4.	IL-1RT1, IL-1R-alpha, mIL-1R1, CD121a, IL-1R-1, sIL-1RI, IL1RT1, IL1R1, sIL-1R1, IL1R, CD121 antigen-like family member A, Interleukin-1 receptor type I, Interleukin-1 receptor alpha, mIL-1RI, IL1RA, IL-1RT-1, Interleukin-1 receptor type 1, p80	Protein A/G purified from cell culture supernatant.
WM-AbAI128	Anti-Human CD124/IL4R Antibody (SAA0046)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4.	IL-4RA, IL-4-binding protein, IL-4 receptor subunit alpha, Soluble IL-4R-alpha, IL4-BP, IL4R, IL-4R subunit alpha, IL-4R-alpha, CD124, Interleukin-4 receptor subunit alpha, IL4RA, Soluble IL-4 receptor subunit alpha, sIL4Ralpha/prot	Protein A/G purified from cell culture supernatant.
WM-AbAI129	Anti-Human CD126/IL6R/IL-6RA Antibody (SAA0048)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4.	sIL6R, Interleukin-6 receptor subunit alpha, CD126, IL-6R 1, IL-6R subunit alpha, Membrane glycoprotein 80, gp80, IL6R, IL-6RA, IL-6 receptor subunit alpha, IL-6R-alpha	Protein A/G purified from cell culture supernatant.

WM-AbAI130	Anti-Human CD126/IL6R/IL-6RA Antibody (SAA0049)	Human	Human	IgG2, kappa	0.01M PBS, pH 7.4.	sIL6R, Interleukin-6 receptor subunit alpha, CD126, IL-6R 1, IL-6R subunit alpha, Membrane glycoprotein 80, gp80, IL6R, IL-6RA, IL-6 receptor subunit alpha, IL-6R-alpha	Protein A/G purified from cell culture supernatant.
WM-AbAI131	Anti-Human CD127/IL7R Antibody (MD-707)	Human	Human	IgG4, Kappa	0.01M PBS, pH 7.4.	IL7R, Interleukin-7 receptor subunit alpha, IL-7R-alpha, IL-7 receptor subunit alpha, CD127, CDw127, IL-7R subunit alpha, IL-7RA	Protein A/G purified from cell culture supernatant.
WM-AbAI132	Anti-Human CD127/IL7R Antibody (N13B2-h3)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4.	IL7R, Interleukin-7 receptor subunit alpha, IL-7R-alpha, IL-7 receptor subunit alpha, CD127, CDw127, IL-7R subunit alpha, IL-7RA	Protein A/G purified from cell culture supernatant.
WM-AbAI133	Anti-Human CD182/CXCR2 Antibody (3H9)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4.	IL8RB, GRO/MGSA receptor, C-X-C chemokine receptor type 2, CD182, CXCR-2, IL-8R B, CXC-R2, IL-8 receptor type 2, High affinity interleukin-8 receptor B, CDw128b, CXCR2	Protein A/G purified from cell culture supernatant.
WM-AbAI134	Anti-Human CD223/LAG3 Antibody (LAG-525)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4.	FDC, LAG3, Lymphocyte activation gene 3 protein, CD223, sLAG-3, LAG-3	Protein A/G purified from cell culture supernatant.
WM-AbAI135	Anti-Human CD223/LAG3 Antibody (SAA0073)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4.	FDC, LAG3, Lymphocyte activation gene 3 protein, CD223, sLAG-3, LAG-3	Protein A/G purified from cell culture supernatant.
WM-AbAI136	Anti-Human CD25/IL2RA Antibody (1H4)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	IL2-RA, IL-2R subunit alpha, TAC antigen, IL-2-RA, p55, IL2RA, IL-2 receptor subunit alpha, Interleukin-2 receptor subunit alpha, CD25	Protein A/G purified from cell culture supernatant.
WM-AbAI137	Anti-Human CD25/IL2RA Antibody (ADCT-301)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	IL2-RA, IL-2R subunit alpha, TAC antigen, IL-2-RA, p55, IL2RA, IL-2 receptor subunit alpha, Interleukin-2 receptor subunit alpha, CD25	Protein A/G purified from cell culture supernatant.
WM-AbAI138	Anti-Human CD25/IL2RA Antibody (SAA0008)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4.	IL2-RA, IL-2R subunit alpha, TAC antigen, IL-2-RA, p55, IL2RA, IL-2 receptor subunit alpha, Interleukin-2 receptor subunit alpha, CD25	Protein A/G purified from cell culture supernatant.
WM-AbAI139	Anti-Human CD256/TNFSF13 Antibody (VIS-649)	Human	Human	IgG2, Kappa	0.01M PBS, pH 7.4.	TNF- and APOL-related leukocyte expressed ligand 2, APRIL, CD256, Tumor necrosis factor ligand superfamily member 13, TNF-related death ligand 1, TALL-2, TNFSF13, ZTNF2, A proliferation-inducing ligand, TALL2, TRDL-1	Protein A/G purified from cell culture supernatant.
WM-AbAI140	Anti-Human CD269/TNFRSF17/BCMA Antibody (SAA0086)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	Tumor necrosis factor receptor superfamily member 17, TNFRSF17, CD269, B-cell maturation protein, BCMA, BCM	Protein A/G purified from cell culture supernatant.
WM-AbAI141	Anti-Human CD278/ICOS Antibody (SAA0091)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	CD278, ICOS, Inducible T-cell costimulator, Activation-inducible lymphocyte immunomediatory molecule, AILIM	Protein A/G purified from cell culture supernatant.
WM-AbAI142	Anti-Human CD278/ICOS Antibody (SAA0092)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4.	CD278, ICOS, Inducible T-cell costimulator, Activation-inducible lymphocyte immunomediatory molecule, AILIM	Protein A/G purified from cell culture supernatant.
WM-AbAI143	Anti-Human CD279/PDCD1/PD1 Antibody (ANB-011)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4.	Programmed cell death protein 1, Protein PD-1, hPD-1, PD1, PDCD1, CD279	Protein A/G purified from cell culture supernatant.
WM-AbAI144	Anti-Human CD279/PDCD1/PD1 Antibody (SAA0093)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4.	Programmed cell death protein 1, Protein PD-1, hPD-1, PD1, PDCD1, CD279	Protein A/G purified from cell culture supernatant.
WM-AbAI145	Anti-Human CD279/PDCD1/PD1 Antibody (SAA0094)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4.	Programmed cell death protein 1, Protein PD-1, hPD-1, PD1, PDCD1, CD279	Protein A/G purified from cell culture supernatant.
WM-AbAI146	Anti-Human CD303/CLEC4C Antibody (122A2)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4.	CLEC4C, C-type lectin superfamily member 7, CLECSF11, C-type lectin domain family 4 member C, Dendritic lectin, CD303, DLEC, HECL, Blood dendritic cell antigen 2, BDCA-2, BDCA2, CLECSF7	Protein A/G purified from cell culture supernatant.
WM-AbAI147	Anti-Human CD32b/FCGR2B Antibody (6G08)	Mouse	Human	IgG1, lambda	0.01M PBS, pH 7.4.	IGFR2, FCG2, Fc-gamma RII-b, CDw32, FcRII-b, IgG Fc receptor II-b, CD32, Fc-gamma-RIIb, Low affinity immunoglobulin gamma Fc region receptor II-b, FCGR2B	Protein A/G purified from cell culture supernatant.

WM-AbAI148	Anti-Human CD32b/FCGR2B Antibody (SAA0547)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	IGFR2, FCG2, Fc-gamma RII-b, CDw32, FcRII-b, IgG Fc receptor II-b, CD32, Fc-gamma-RIIb, Low affinity immunoglobulin gamma Fc region receptor II-b, FCGR2B, RHD97901	Protein A/G purified from cell culture supernatant.
WM-AbAI149	Anti-Human CD40/TNFRSF5 Antibody (4D11)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4.	Tumor necrosis factor receptor superfamily member 5, B-cell surface antigen CD40, Bp50, CD40L receptor, TNFRSF5, CDw40, CD40	Protein A/G purified from cell culture supernatant.
WM-AbAI150	Anti-Human CD40/TNFRSF5 Antibody (SAA0014)	Human	Human	IgG2, kappa	0.01M PBS, pH 7.4.	Tumor necrosis factor receptor superfamily member 5, B-cell surface antigen CD40, Bp50, CD40L receptor, TNFRSF5, CDw40, CD40	Protein A/G purified from cell culture supernatant.
WM-AbAI151	Anti-Human CD49d/ITGA4 Antibody (SAA0019)	Rabbit	Human	IgG, kappa	0.01M PBS, pH 7.4.	ITGA4, CD49d, CD49 antigen-like family member D, CD49D, VLA-4 subunit alpha, Integrin alpha-IV, Integrin alpha-4	Protein A/G purified from cell culture supernatant.
WM-AbAI152	Anti-Human CD52 Antibody (SAA0023)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	Human epididymis-specific protein 5, CDW52, CAMPATH-1 antigen, Cambridge pathology 1 antigen, He5, HE5, Epididymal secretory protein E5, CD52, CDw52	Protein A/G purified from cell culture supernatant.
WM-AbAI153	Anti-Human CD52 Antibody (SAA0024)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4.	Human epididymis-specific protein 5, CDW52, CAMPATH-1 antigen, Cambridge pathology 1 antigen, He5, HE5, Epididymal secretory protein E5, CD52, CDw52	Protein A/G purified from cell culture supernatant.
WM-AbAI154	Anti-Human CD80/B7-1 Antibody (IDEC-114)	Mouse	Human	IgG1, lambda	0.01M PBS, pH 7.4.	CD80, BB1, T-lymphocyte activation antigen CD80, CD28LG, B7, CD28LG1, LAB7, Activation B7-1 antigen, CTLA-4 counter-receptor B7.1	Protein A/G purified from cell culture supernatant.
WM-AbAI155	Anti-Human CD86/B7-2 Antibody (PMP2B10)	Mouse	Human	VHH-mFc (IgG1)	0.01M PBS, pH 7.4.	BU63, B70, CD28LG2, CTLA-4 counter-receptor B7.2, Activation B7-2 antigen, T-lymphocyte activation antigen CD86, CD86, FUN-1	Protein A/G purified from cell culture supernatant.
WM-AbAI156	Anti-Human IL23A Antibody (SAA0312)	Mouse	Human	IgG1, lambda	0.01M PBS, pH 7.4, 0.09% Sodium azide.	SGRF, IL-23-A, IL-23 subunit alpha, Interleukin-23 subunit p19, IL23A, Interleukin-23 subunit alpha, IL-23p19	Protein A/G purified from cell culture supernatant.
WM-AbAI157	Anti-Human CD307e/FCRL5 Antibody (SAA0316)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	FCRL5, FCRH5, FCRL5, Fc receptor homolog 5, FcRH5, CD307e, FcR-like protein 5, IRTA2, Immune receptor translocation-associated protein 2, BXMAS1, Fc receptor-like protein 5, CD307	Protein A/G purified from cell culture supernatant.
WM-AbAI158	Anti-Human IL1B/IL1F2 Antibody (SAA0368)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	Interleukin-1 beta, IL1B, Catabolin, IL1F2, IL-1 beta, IL-1β	Protein A/G purified from cell culture supernatant.
WM-AbAI159	Anti-Human IL1B/IL1F2 Antibody (SAA0369)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	Interleukin-1 beta, IL1B, Catabolin, IL1F2, IL-1 beta, IL-1β	Protein A/G purified from cell culture supernatant.
WM-AbAI160	Anti-Human IL12A/IL-12 p35/NKSF1 Antibody (SAA0380)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	IL-12A, NK cell stimulatory factor chain 1, IL12A, CLMF p35, Interleukin-12 subunit alpha, IL-12 subunit p35, NKSF1, Cytotoxic lymphocyte maturation factor 35 kDa subunit	Protein A/G purified from cell culture supernatant.
WM-AbAI161	Anti-Human IL12B/IL-12 p40/NKSF2 Antibody (SAA0381)	Mouse	Human	IgG1, lambda	0.01M PBS, pH 7.4, 0.09% Sodium azide.	IL-12 subunit p40, IL12B, Interleukin-12 subunit beta, IL-12B, CLMF p40, NKSF2, NK cell stimulatory factor chain 2, Cytotoxic lymphocyte maturation factor 40 kDa subunit	Protein A/G purified from cell culture supernatant.
WM-AbAI162	Anti-Human IL23A Antibody (SAA0392)	Human	Human	IgG4, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	SGRF, IL-23-A, IL-23 subunit alpha, Interleukin-23 subunit p19, IL23A, Interleukin-23 subunit alpha, IL-23p19	Protein A/G purified from cell culture supernatant.
WM-AbAI163	Anti-Human CSF2/GM-CSF Antibody (SAA0418)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	Granulocyte-macrophage colony-stimulating factor, Sargramostim, GMCSF, CSF, Colony-stimulating factor, CSF2, GM-CSF, Molgramostin	Protein A/G purified from cell culture supernatant.
WM-AbAI164	Anti-Human BMP2 Antibody (SAA0423)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	BMP-2, BMP2A, Bone morphogenetic protein 2A, Bone morphogenetic protein 2, BMP2, BMP-2A	Protein A/G purified from cell culture supernatant.

WM-AbAI165	Anti-Human BDNF Antibody (SAA0471)	Mouse	Human	IgG2a, lambda	0.01M PBS, pH 7.4, 0.09% Sodium azide.	ProBDNF, Abreineurin, Brain-derived neurotrophic factor, BDNF	Protein A/G purified from cell culture supernatant.
WM-AbAI166	Anti-Human DRD2 Antibody (SAA0772)	Human	Human	VHH-hFc	0.01M PBS, pH 7.4, 0.09% Sodium azide.	D(2) dopamine receptor, Dopamine D2 receptor, DRD2	Protein A/G purified from cell culture supernatant.
WM-AbAI167	Anti-Human CD269/TNFRSF17/BCMA Antibody (SAA0816)	Human	Human	IgG2-kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	Tumor necrosis factor receptor superfamily member 17, TNFRSF17, CD269, B-cell maturation protein, BCMA, BCM	Protein A/G purified from cell culture supernatant.
WM-AbAI168	Anti-Human CD40/TNFRSF5 Antibody (SAA1387)	Mouse	Human	IgG1, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	Tumor necrosis factor receptor superfamily member 5, B-cell surface antigen CD40, Bp50, CD40L receptor, TNFRSF5, CDw40, CD40	Protein A/G purified from cell culture supernatant.
WM-AbAI169	Anti-Human CD86/B7-2 Antibody (SAA1397)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	BU63, B70, CD28LG2, CTLA-4 counter-receptor B7.2, Activation B7-2 antigen, T-lymphocyte activation antigen CD86, CD86, FUN-1	Protein A/G purified from cell culture supernatant.
WM-AbAI170	Anti-Human TIGIT Antibody (SAA1407)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	VSTM3, TIGIT, V-set and transmembrane domain-containing protein 3, VSIG9, V-set and immunoglobulin domain-containing protein 9, T-cell immunoreceptor with Ig and ITIM domains	Protein A/G purified from cell culture supernatant.
WM-AbAI171	Anti-Human CD269/TNFRSF17/BCMA Antibody (J22.9-xi)	Mouse	Human	IgG2a	0.01M PBS, pH 7.4, 0.09% Sodium azide.	Tumor necrosis factor receptor superfamily member 17, TNFRSF17, CD269, B-cell maturation protein, BCMA, BCM	Protein A/G purified from cell culture supernatant.
WM-AbAI172	Anti-Human CD127/IL7R Antibody (4A10)	Mouse	Human	IgG2a	0.01M PBS, pH 7.4, 0.09% Sodium azide.	IL7R, Interleukin-7 receptor subunit alpha, IL-7R-alpha, IL-7 receptor subunit alpha, CD127, CDw127, IL-7R subunit alpha, IL-7RA	Protein A/G purified from cell culture supernatant.
WM-AbAI173	Anti-Human CD121a/IL1R1 Antibody (15C4)	Mouse	Human, Monkey	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	IL-1RT1, IL-1R-alpha, mIL-1R1, CD121a, IL-1R-1, sIL-1RI, IL1RT1, IL1R1, sIL-1R1, IL1R, CD121 antigen-like family member A, Interleukin-1 receptor type I, Interleukin-1 receptor alpha, mIL-1RI, IL1RA, IL-1RT-1, Interleukin-1 receptor type 1, p80	Protein A/G purified from cell culture supernatant.
WM-AbAI174	Anti-Human CD40/TNFRSF5 Antibody (SAA2026)	Mouse	Human	IgG2a, lambda	0.01M PBS, pH 7.4, 0.09% Sodium azide.	Tumor necrosis factor receptor superfamily member 5, B-cell surface antigen CD40, Bp50, CD40L receptor, TNFRSF5, CDw40, CD40	Protein A/G purified from cell culture supernatant.
WM-AbAI175	Anti-Human CD86/B7-2 Antibody (2331/FUN-1)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	BU63, B70, CD28LG2, CTLA-4 counter-receptor B7.2, Activation B7-2 antigen, T-lymphocyte activation antigen CD86, CD86, FUN-1	Protein A/G purified from cell culture supernatant.
WM-AbAI176	Anti-Human CD80/B7-1 Antibody (SAA2207)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4, 0.09% Sodium azide.	CD80, BB1, T-lymphocyte activation antigen CD80, CD28LG, B7, CD28LG1, LAB7, Activation B7-1 antigen, CTLA-4 counter-receptor B7.1	Protein A/G purified from cell culture supernatant.
WM-AbAI177	Anti-HCV Genome polyprotein Antibody (D32.10)	Human	Hepatitis C virus genotype 1a (isolate 1) (HCV)	IgG1, kappa	0.01M PBS, pH 7.4.	Genome polyprotein	Protein A/G purified from cell culture supernatant.
WM-AbAI178	InVivoMAb Anti-Human IL1B/IL1F2 (Iv0019)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	Interleukin-1 beta, IL1B, Catabolin, IL1F2, IL-1 beta, IL-1β	Protein A/G purified from cell culture supernatant.
WM-AbAI179	InVivoMAb Anti-Human IL12B/IL-12 p40/NKSF2 (Iv0026)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	IL-12 subunit p40, IL12B, Interleukin-12 subunit beta, IL-12B, CLMF p40, NKSF2, NK cell stimulatory factor chain 2, Cytotoxic lymphocyte maturation factor 40 kDa subunit	Protein A/G purified from cell culture supernatant.
WM-AbAI180	InVivoMAb Anti-Human IL23A (Iv0034)	Human	Human	IgG1, lambda	0.01M PBS, pH 7.4.	SGRF, IL-23-A, IL-23 subunit alpha, Interleukin-23 subunit p19, IL23A, Interleukin-23 subunit alpha, IL-23p19	Protein A/G purified from cell culture supernatant.

WM-AbAI181	InVivoMAb Anti-Human CSF2/GM-CSF (Iv0053)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	Granulocyte-macrophage colony-stimulating factor, Sargramostim, GMCSF, CSF, Colony-stimulating factor, CSF2, GM-CSF, Molgramostin	Protein A/G purified from cell culture supernatant.
WM-AbAI182	InVivoMAb Anti-Human BMP2 (Iv0058)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	BMP-2, BMP2A, Bone morphogenetic protein 2A, Bone morphogenetic protein 2, BMP2, BMP-2A	Protein A/G purified from cell culture supernatant.
WM-AbAI183	InVivoMAb Anti-Human BDNF (Iv0093)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	ProBDNF, Abreineurin, Brain-derived neurotrophic factor, BDNF	Protein A/G purified from cell culture supernatant.
WM-AbAI184	Anti-Human INS/Insulin Antibody (SAA0557)	Mouse	Human	IgG2a	0.01M PBS, pH 7.4.	Insulin, Insulin B chain, Insulin A chain, INS	Protein A/G purified from cell culture supernatant.
WM-AbAI185	Anti-Human INS/Insulin Antibody (SAA0558)	Mouse	Human	IgG2a	0.01M PBS, pH 7.4.	Insulin, Insulin B chain, Insulin A chain, INS	Protein A/G purified from cell culture supernatant.
WM-AbAI186	Anti-Human MET/c-Met/HGFR Antibody (SAA0765)	Human	Human	IgG1	0.01M PBS, pH 7.4.	Tyrosine-protein kinase Met, Hepatocyte growth factor receptor, Proto-oncogene c-Met, Scatter factor receptor, HGF receptor, SF receptor, HGF/SF receptor, MET, RCCP2	Protein A/G purified from cell culture supernatant.
WM-AbAI187	InVivoMAb Anti-Human CD307e/FCRL5 Antibody (Iv0127)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	FcRL5, FCRH5, FCRL5, Fc receptor homolog 5, FcRH5, CD307e, FcR-like protein 5, IRTA2, Immune receptor translocation-associated protein 2, BXMAS1, Fc receptor-like protein 5	Protein A/G purified from cell culture supernatant.
WM-AbAI188	Anti-Human MET/c-Met/HGFR Nanobody (SAA1308)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	Tyrosine-protein kinase Met, Hepatocyte growth factor receptor, Proto-oncogene c-Met, Scatter factor receptor, HGF receptor, SF receptor, HGF/SF receptor, MET	Purified by Nickel column.
WM-AbAI189	Anti-Human CD126/IL6R/IL-6RA Nanobody (SAA1278)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	sIL6R, Interleukin-6 receptor subunit alpha, CD126, IL-6R 1, IL-6R subunit alpha, Membrane glycoprotein 80, gp80, IL6R, IL-6RA, IL-6 receptor subunit alpha, IL-6R-alpha	Purified by Nickel column.
WM-AbAI190	Anti-Human DRD2 Nanobody (SAA1361)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	D(2) dopamine receptor, Dopamine D2 receptor, DRD2	Purified by Nickel column.
WM-AbAI191	Anti-Human CD182/CXCR2 Nanobody (SAA1360)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	IL8RB, GRO/MGSA receptor, C-X-C chemokine receptor type 2, CD182, CXCR-2, IL-8R B, CXC-R2, IL-8 receptor type 2, High affinity interleukin-8 receptor B, CDw128b, CXCR2	Purified by Nickel column.
WM-AbAI192	Anti-Human CD40/TNFRSF5 Nanobody (SAA1164)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	Tumor necrosis factor receptor superfamily member 5, B-cell surface antigen CD40, Bp50, CD40L receptor, TNFRSF5, CDw40, CD40	Purified by Nickel column.
WM-AbAI193	Anti-Human IL12B/IL-12 p40/NKSF2 Nanobody (SAA1159)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	IL-12 subunit p40, IL12B, Interleukin-12 subunit beta, IL-12B, CLMF p40, NKSF2, NK cell stimulatory factor chain 2, Cytotoxic lymphocyte maturation factor 40 kDa subunit	Purified by Nickel column.
WM-AbAI194	Anti-Human CD32b/FCGR2B Nanobody (SAA1313)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	IGFR2, FCG2, Fc-gamma RII-b, CDw32, FcRII-b, IgG Fc receptor II-b, CD32, Fc-gamma-RIIb, Low affinity immunoglobulin gamma Fc region receptor II-b, FCGR2B	Purified by Nickel column.
WM-AbAI195	Anti-Human CD86/B7-2 Nanobody (SAA1279)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	BU63, B70, CD28LG2, CTLA-4 counter-receptor B7.2, Activation B7-2 antigen, T-lymphocyte activation antigen CD86, CD86, FUN-1	Purified by Nickel column.
WM-AbAI196	Anti-Human CD269/TNFRSF17/BCMA Nanobody (SAA1321)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	Tumor necrosis factor receptor superfamily member 17, TNFRSF17, CD269, B-cell maturation protein, BCMA, BCM	Purified by Nickel column.
WM-AbAI197	Anti-Human CD279/PDCD1/PD1 Nanobody (SAA1280)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	Programmed cell death protein 1, Protein PD-1, hPD-1, PD1, PDCD1, CD279	Purified by Nickel column.
WM-AbAI198	Anti-Human IL23A/IL-23p19 Nanobody (SAA1160)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	SGRF, IL-23-A, IL-23 subunit alpha, Interleukin-23 subunit p19, IL23A, Interleukin-23 subunit alpha, IL-23p19	Purified by Nickel column.

WM-AbAI199	InVivoMAb Anti-Human CD40/TNFRSF5 Antibody (Iv0136)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	Tumor necrosis factor receptor superfamily member 5, B-cell surface antigen CD40, Bp50, CD40L receptor, TNFRSF5, CDw40, CD40	Protein A/G purified from cell culture supernatant.
WM-AbAI200	Anti-Human CD124/IL4R/IL-4R α Nanobody (SAA1420)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	IL-4RA, IL-4-binding protein, IL-4 receptor subunit alpha, Soluble IL-4R- α , IL4-BP, IL4R, IL-4R subunit alpha, IL-4R- α , CD124, Interleukin-4 receptor subunit alpha, IL4RA, Soluble IL-4 receptor subunit alpha, sIL4R α /prot	Purified by Nickel column.
WM-AbAI201	Anti-Human INS/Insulin Antibody (SAA1448)	Mouse	Human	IgG2a	0.01M PBS, pH 7.4.	INS, Insulin	Protein A/G purified from cell culture supernatant.
WM-AbAI202	InVivoMAb Anti-Human CD279/PDCD1/PD1 Antibody (D12)	Mouse	Human	IgG2a	0.01M PBS, pH 7.4.	Programmed cell death protein 1, Protein PD-1, hPD-1, PD1, PDCD1, CD279	Protein A/G purified from cell culture supernatant.
WM-AbAI203	Anti-Human IFNAR1 Antibody (64G12)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	IFNAR1, Interferon alpha/beta receptor 1, IFN-alpha/beta receptor 1, Cytokine receptor class-II member 1, Cytokine receptor family 2 member 1, CRF2-1, Type I interferon receptor 1	Protein A/G purified from cell culture supernatant.
WM-AbAI204	Anti-Human CDw199/CCR9 Antibody (SAA1574)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	CCR-9, CC-CCR-9, GPR-9-6, CCR9, C-C CKR-9, CDw199, GPR28, G-protein coupled receptor 28, C-C chemokine receptor type 9	Protein A/G purified from cell culture supernatant.
WM-AbAI205	Anti-Human GAD2/GAD65 Antibody (SAA1579)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	Glutamate decarboxylase 2, GAD65, 65 kDa glutamic acid decarboxylase, GAD-65, GAD2, Glutamate decarboxylase 65 kDa isoform	Protein A/G purified from cell culture supernatant.
WM-AbAI206	Anti-Human EN2 Antibody (SAA1595)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	EN2, Homeobox protein engrailed-2, Hu-En-2, Homeobox protein en-2	Protein A/G purified from cell culture supernatant.
WM-AbAI207	Anti-Human IRAK4 Antibody (SAA1623)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	Renal carcinoma antigen NY-REN-64, IRAK-4, IRAK4, Interleukin-1 receptor-associated kinase 4	Protein A/G purified from cell culture supernatant.
WM-AbAI208	Anti-Human SYK Antibody (SAA1636)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	Spleen tyrosine kinase, SYK, Tyrosine-protein kinase SYK, p72-Syk	Protein A/G purified from cell culture supernatant.
WM-AbAI209	Anti-Human TLR7 Antibody (SAA1718)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	TLR7, Toll-like receptor 7	Protein A/G purified from cell culture supernatant.
WM-AbAI210	Anti-Human CD267/TNFRSF13B Antibody (SAA1832)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	CD267, Transmembrane activator and CAML interactor, Tumor necrosis factor receptor superfamily member 13B, TNFRSF13B, TACI	Protein A/G purified from cell culture supernatant.
WM-AbAI211	Anti-Human GARS1/Glycyl-tRNA synthetase Antibody (SAA1935)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	Diadenosine tetraphosphate synthetase, Glycine--tRNA ligase, GlyRS, Glycyl-tRNA synthetase, GARS1, Glycyl-tRNA synthetase 1, Ap4A synthetase, GARS	Protein A/G purified from cell culture supernatant.
WM-AbAI212	InVivoMAb Anti-Human CD49d/ITGA4 Antibody (Iv0201)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	ITGA4, CD49d, CD49 antigen-like family member D, CD49D, VLA-4 subunit alpha, Integrin alpha-IV, Integrin alpha-4	Protein A/G purified from cell culture supernatant.
WM-AbAI213	InVivoMAb Anti-Human IFNAR1 Antibody (H3K1)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	Interferon alpha/beta receptor 1, Cytokine receptor family 2 member 1, Cytokine receptor class-II member 1, CRF2-1, IFN-R-1, IFNAR1, IFNAR, IFN-alpha/beta receptor 1, Type I interferon receptor 1	Protein A/G purified from cell culture supernatant.
WM-AbAI214	Anti-Human HLA-DRB1 Antibody (MP12)	Mouse	Human	IgG1	0.01M PBS, pH 7.4.	HLA class II histocompatibility antigen, DRB1 beta chain, Human leukocyte antigen DRB1, HLA-DRB1	Protein A/G purified from cell culture supernatant.
WM-AbAI215	Anti-Human HLA-DRB1 Antibody (1D10)	Mouse	Human	IgG1	0.01M PBS, pH 7.4.	HLA class II histocompatibility antigen, DRB1 beta chain, Human leukocyte antigen DRB1, HLA-DRB1	Protein A/G purified from cell culture supernatant.
WM-AbAI216	Anti-Human HLA-DRB1 Antibody (S1TA3)	Mouse	Human	IgG1	0.01M PBS, pH 7.4.	HLA class II histocompatibility antigen, DRB1 beta chain, Human leukocyte antigen DRB1, HLA-DRB1	Protein A/G purified from cell culture supernatant.

WM-AbAI217	Anti-Human CD40/TNFRSF5 Antibody (SAA2006)	Human	Human	IgG1, kappa	0.01M PBS, pH 7.4.	Tumor necrosis factor receptor superfamily member 5, B-cell surface antigen CD40, Bp50, CD40L receptor, TNFRSF5, CDw40, CD40	Protein A/G purified from cell culture supernatant.
WM-AbAI218	Anti-Human IL12B/IL-12 p40/NKSF2 Antibody (SAA2017)	Human	Human	IgG1, lambda	0.01M PBS, pH 7.4.	IL-12 subunit p40, IL12B, Interleukin-12 subunit beta, IL-12B, CLMF p40, NKSF2, NK cell stimulatory factor chain 2, Cytotoxic lymphocyte maturation factor 40 kDa subunit	Protein A/G purified from cell culture supernatant.
WM-AbAI219	Anti-Human CD25/IL2RA Antibody (BA9)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	IL2-RA, IL-2R subunit alpha, TAC antigen, IL-2-RA, p55, IL2RA, IL-2 receptor subunit alpha, Interleukin-2 receptor subunit alpha, CD25	Protein A/G purified from cell culture supernatant.
WM-AbAI220	Anti-Human CD25/IL2RA Antibody (BT942)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	IL2-RA, IL-2R subunit alpha, TAC antigen, IL-2-RA, p55, IL2RA, IL-2 receptor subunit alpha, Interleukin-2 receptor subunit alpha, CD25	Protein A/G purified from cell culture supernatant.
WM-AbAI221	InVivoMAb Anti-Human CD279/PDCD1/PD1 Antibody (Iv0209)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	Programmed cell death protein 1, Protein PD-1, hPD-1, PD1, PDCD1, CD279	Protein A/G purified from cell culture supernatant.
WM-AbAI222	Mouse Anti-Human BMP2 Antibody (Iv0058)	Mouse	Human	IgG2a, kappa	0.01M PBS, pH 7.4.	BMP-2, BMP2A, Bone morphogenetic protein 2A, Bone morphogenetic protein 2, BMP2, BMP-2A	Protein A/G purified from cell culture supernatant.
WM-AbAI223	Anti-Human LAG3 Nanobody (SAA2195)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS, pH 7.4.	FDC, LAG3, Lymphocyte activation gene 3 protein, CD223, sLAG-3, LAG-3	Protein A/G purified from cell culture supernatant.
WM-AbAI224	Anti-Human INS/Insulin Antibody (SAA0557)	Human	Human	IgM	0.01M PBS, pH 7.4.	Insulin, Insulin B chain, Insulin A chain, INS	Protein A/G purified from cell culture supernatant.
WM-AbAI225	Anti-Human INS/Insulin Antibody (HB125(AE9D6))	Rabbit	Human, Mouse, Rat, Pig	IgG	0.01M PBS pH 7.4	Insulin, Insulin B chain, Insulin A chain, INS	Protein A/G purified from cell culture supernatant.
WM-AbAI226	InVivoMAb Anti-Mouse IL6R (15A7)	Rat	Mouse	IgG2b, kappa	0.01M PBS pH 7.4	Interleukin-6 receptor subunit alpha, IL-6 receptor subunit alpha, IL-6R subunit alpha, IL-6R-alpha, IL-6RA, IL-6R 1, Membrane glycoprotein 80, gp80, CD126, Soluble interleukin-6 receptor subunit alpha, sIL6R, IL6R	Protein A/G purified from cell culture supernatant.
WM-AbAI227	Anti-Human CD49d/ITGA4 Antibody (BIIB107)		Human		0.01M PBS pH 7.4	Integrin alpha-4, CD49 antigen-like family member D, Integrin alpha-IV, VLA-4 subunit alpha, CD49d, ITGA4, CD49D	Protein A/G purified from cell culture supernatant.
WM-AbAI228	Anti-Human CD182/CXCR2 Antibody (SAA1360)	Human	Human	VHH-Fc	0.01M PBS pH 7.4	C-X-C chemokine receptor type 2, CD182, CDw128b, CXC-R2, CXCR-2, CXCR2, GRO/MGSA receptor, High affinity interleukin-8 receptor B, IL-8 receptor type 2, IL-8R B, IL8RB	Protein A/G purified from cell culture supernatant.
WM-AbAI229	Anti-Human CD182/CXCR2 Antibody (SAA2512)	Mouse	Human	IgG2a, kappa	0.01M PBS pH 7.4	C-X-C chemokine receptor type 2, CD182, CDw128b, CXC-R2, CXCR-2, CXCR2, GRO/MGSA receptor, High affinity interleukin-8 receptor B, IL-8 receptor type 2, IL-8R B, IL8RB	Protein A/G purified from cell culture supernatant.
WM-AbAI230	Anti-Human CD279/PDCD1/PD1 Antibody (EH12.2H7)	Mouse	Human	IgG2a, kappa	0.01M PBS pH 7.4	CD279, PD1, PDCD1, Programmed cell death protein 1, Protein PD-1, hPD-1	Protein A/G purified from cell culture supernatant.
WM-AbAI231	Anti-Human CD49d/ITGA4 Antibody (SAA2539)		Human	scFv-His	0.01M PBS pH 7.4	CD49 antigen-like family member D, CD49D, CD49d, ITGA4, Integrin alpha-4, Integrin alpha-IV, VLA-4 subunit alpha	Purified by Nickel column.
WM-AbAI232	Anti-Human CD279/PDCD1/PD1 Antibody (SAA2546)		Human	scFv-His	0.01M PBS pH 7.4	CD279, PD1, PDCD1, Programmed cell death protein 1, Protein PD-1, hPD-1	Purified by Nickel column.
WM-AbAI233	Anti-Human CD32b/FCGR2B Nanobody (SAA2572)	Alpaca	Human	VHH-8His-Cys-tag	0.01M PBS pH 7.4	CD32, CDw32, FCG2, FCGR2B, Fc-gamma RII-b, Fc-gamma-RIIb, FcRII-b, IGFR2, IgG Fc receptor II-b, Low affinity immunoglobulin gamma Fc region receptor II-b	Purified by Nickel column.
WM-AbAI234	InVivoMAb Anti-Mouse CD25/IL2RA Antibody (PC61/PC61.5.3)	Rat	Mouse	IgG1, lambda	0.01M PBS pH 7.4	CD25, IL-2 receptor subunit alpha, IL-2-RA, IL-2R subunit alpha, IL2-RA, IL2RA, Interleukin-2 receptor subunit alpha, TAC antigen, p55	Protein A/G purified from cell culture supernatant.